


Aspire Tucson 2 Aspire Tucso

Din/Cal 4, Inc.



Aspire Tucson 2

TDC Context Plan

Tucson, Arizona 25, Apr.

cext Plan 2 ©2019 **Gensler**



Aspire Tucson 2

TDC Site Plan

Tucson, Arizona 25, Apr.













Tucson, Arizona 25, Apr.











Tucson, Arizona 25, Apr.







Tucson, Arizona 25, Apr.



Aspire Tucson 2

TDC View 1 - 2nd St & 1st Ave

Tucson, Arizona 25, Apr.

C View 1 - 2nd St & 1st Ave



18

Aspire Tucson 2

TDC View 2 - 1st St & 1st Ave


Tucson, Arizona 25, Apr.

 ∞ View 2 - 1st St & 1st Ave











Aspire Tucson 2 Aspire Tucson

View 7 - E 2nd St

Tucson, Arizona 25, Apr.



Aspire Tucson 2

To View 8 - E 2nd St & Park Ave

Tucson, Arizona 25, Apr.




- 1. Stucco facade, dark grey color with textured finish.
- 2. Architectural Thermal Windows, with low E glass; Silver Finished Mullion.
- 3. Stucco facade, white color with textured finish.
- 4. Stucco facade control joints.
- 5. Stucco frame, red elastomeric paint finish.

- 6. White metal panel cladding. Matte finish.
- 7. Light grey metal panel cladding. Matte finish.
- 8. Dark grey metal panel cladding. Matte finish.
- 9. Stucco facade, light grey color with textured finish.
- 10. Stucco screening wall/ parapet/ noise barrier.11. Rooftop mechanical units screened by #10.
- 12. Stucco frame, white elastomeric paint finish.
- 13. Metal panel cladding. Same configuration as #6 #8.
- 14. Drive thru exit with do not enter signage.
- 15. Decorative metal panel transformer gate.

Aspire Tucson 2

0' 5' 10' 15' 25' 50'

Tucson, Arizona 25, Apr.



- 1. Stucco facade, dark grey color with textured finish.
- 2. Architectural Thermal Windows, with low E glass; Silver Finished Mullion.
- 3. Stucco facade control joints.
- 4. Stucco frame, white elastomeric paint finish.
- 5. White metal panel cladding. Matte finish.

- 6. Light grey metal panel cladding. Matte finish.
- 7. Dark grey metal panel cladding. Matte finish.
- 8. Stucco facade, white color with textured finish.
- 9. Stucco screening wall/ parapet/ noise barrier.
- 10. Rooftop mechanical units screened by #9.

11. Metal panel cladding. Same configuration as #5 - #7.

Aspire Tucson 2

0' 5' 10' 15' 25' 50

Tucson, Arizona 25, Apr.



- 1. Stucco facade control joints.
- 2. Stucco facade, dark grey color with textured finish.
- 3. Architectural Thermal Windows, with low E glass; Silver Finished Mullion.
- 4. Stucco frame, white elastomeric paint finish.
- 5. Metal panel cladding. Same configuration as #6 #8.
- 6. White metal panel cladding. Matte finish.

- 7. Light grey metal panel cladding. Matte finish.
- 8. Dark grey metal panel cladding. Matte finish.
- 9. Stucco facade, white color with textured finish.
- 10. Stucco screening wall/ parapet/ noise barrier.
- 11. Rooftop mechanical units screened by #10.
- 12. Stucco frame, red elastomeric paint finish.

- 13. Full height architectural window wall system; Aluminum with low E glass.
- 14. Window wall cap. Silver Finished Mullion.
- 15. Metal frame structure with metal slat shading.
- 16. Glass door with aluminum frame.
- 17. Clear glass at pedestrian level.
- 18. Light grey spandrel.

Aspire Tucson 2



- 1. Full height architectural window wall system; Aluminum with low E glass.
- 2. Window wall cap. Silver Finish Mullion.
- 3. Stucco facade, white color with textured finish.
- 4. Architectural Thermal Windows, with low E glass; Silver Finished Mullion.
- 5. Stucco facade control joints.

- 6. Stucco frame, red elastomeric finish.
- 7. Metal frame structure with metal slat shading.
- 8. Stucco screening wall/ parapet/ noise barrier.
- 9. Rooftop mechanical units screened by #9.
- 10. Stucco frame, white elastomeric paint finish.
- 11. White metal panel cladding. Matte finish.
- 12. Light grey metal panel cladding. Matte finish.

- 13. Dark grey metal panel cladding. Matte finish.
- 14. Stucco facade, dark grey color with textured finish.
- 15. Metal panel cladding. Same configuration as #12 #14.
- 16. Clear glass at pedestrian level.
- 17. Drive thru entry with signage above.
- 18. Parking garage entry with signage above.
- 19. Painted mural, design TBD.

Aspire Tucson 2

0' 5' 10' 15' 25' 50'

Tucson, Arizona 25, Apr.











Metal Panel Cladding, Powder Coated Matte Finish









Silver Aluminum Mullions



PAVEMENT-A
INTEGRAL PEWETER
BRUSHED CONCRETE




PAVEMENT-B
INTEGRAL DARK GRAY
EXPOSED AGG. CONCRETE



BENCH-1
QCP SHEAR
CONCRETE BENCH
W/BACK



BENCH-2 QCP BLOCK CONCRETE BENCH



PAVEMENT-C
INTEGRAL COLOR: "COOL BRICK"
RED (SCOFIELD SOLARCHROME
COLORS); FINISH: SMOOTH



PAVEMENT-D


UNILOCK PLANK PAVER

COLOR BLEND (GRANITE, OPAL,

& STEEL GREY)



RAISED METAL PLANTER LANDSCAPE FORMS GUS



METAL TREE GRATE
IRONSMITH MARKET STREET



METAL LITTER RECEPTICAL LANDSAPE FORMS AUSTIN

STREETSCAPE MATERIALS- 1.0



ACACIA WILLARDIANA PALO BLANCO



PISTACIA CHINENSIS CHINESE PISTACHE



CAESALPINIA PULCHERRIMA RED BIRD OF PARADISE



CALLIANDRA X SIERRA STAR HYBIRD FAIRY DUSTER



SALVIA CLEVELANDII CLEVELAND SAGE



CALYLOPHUS HARTWEGII CALYLOPHUS SUNDROPS



PENSTEMON PARRYI PARRY'S PENSTEMON



SETCREASEA PALLIDA PURPLE HEART



TETRANUERIS ACAULIS ANGELITA DAISY



VERBENA RIGIDA SANDPAPER VERBENA

PLANT MATERIALS - 2.0



ALOE 'BLUE ELF'
ALOE 'BLUE ELF'



ALOE STRIATA
CORAL ALOE



ASCELPIAS SUBULATA
DESERT MILKWEED



BULBINE FRUTESCENS
'TINY TANGERINE'
TINY ORANGE BULBINE



CALAMAGROSTIS X ACUTIFLORA

'KARL FOERSTER'

FOERSTER'S FEATHER REED GRASS

4

ACCENTS



EUPHORBIA ANTISYPHILITICA CANDELILLA



HESPERALOE PARVIFLORA
'BRAKELIGHT'
BRAKE LIGHT RED YUCCA



HESPERALOE 'PINK PARADE'
PINK PARADE HESPERALOE



DASYLIRION WHEELERI DESERT SPOON



HESPERALOE PARVIFOLRA
'YELLOW'
YELLOW YUCCA

PLANT MATERIALS - 2.1

ACCENTS



MANFREDA X 'SILVER LEOPARD'
SILVER LEOPARD
TEXAS TUBEROSE



MUHLENBERGIA CAPILLARIS
'REGAL MIST'
PURPLE MUHLY GRASS



MUHLENBERGIA LINDHEIMERI 'AUTUMN GLOW' LINHEIMER MUHLY GRASS



MUHLENBERGIA RIGENS
'NASHVILLE'
DEERGRASS



NASSELLA TENUISIMA MEXICAN FEATHER GRASS



ACCENTS



PEDILANTHUS BRACTEATUS
TALL LADYSLIPPER PLANT



PEDILANTHUS MACROCARPUS
LADYSLIPPER PLANT



YUCCA PALLIDA PALE LEAF YUCCA




YUCCA ROSTRATA BEAKED YUCCA



YUCCA RUPICOLA TWISTED LEAF YUCCA


PLANT MATERIALS - 2.2







Aspire Tucson 2 Aspire Tucson 2

Traffic Analysis - Vehicular











Aspire Tucson 2


Tucson, Arizona 25, Apr.




Aspire Tucson 2



Tucson, Arizona 25, Apr.









©2019 Gensler








0' 5' 10' 15' 20'




TDC Level 7 Floor Plan




Level 8 Floor Plan

47

N 🕕







©2019 Gensler

49




Aspire Tucson 2 Aspire Tucson 2

North -South Section

Tucson, Arizona 25, Apr.


©2019 Gensler

















15:30







12:30 15:30

Category	Zoning Code Requirements	Notes	Proposed	Reference
Zoning Code	UDC	Unified Development Code	-	
		(2013)		
Site Information				
National Register HD	No	Outside of West Univ. Natl. Register Hist. Dist. & City HPZ	n/a	
Zoning Classification	C-1	Commercial	-	
Overlay District	MGO	Main Gate Overlay Dist.	To Utilize	
Overlay Sub-area	No	Not in MGO subarea	n/a	
Lot Area GSF	33,177 gsf		-	Assessor's Records
Lot Area Acres	.76 acres		-	Assessor's Records
Permitted Use: Group Dwelling	Yes	Permitted Residential Use.	To Comply	MGO § C-2, Land Uses
Permitted Use: Financial Services	Yes	Permitted Commerce + Drive thru	To Comply	MGO § C-2, Land Uses
Bulk & Density				
Max FAR	None		To Comply	MGO § C-3, Table 1
Min Lot Area	None		To Comply	MGO § C-3, Table 1
Min Lot Width	None		To Comply	MGO § C-3, Table 1
Max Lot Coverage	None		To Comply	MGO § C-3, Table 1
Max Density	None		To Comply	MGO § C-3, Table 1
Height Limit	8 stories.	Cannot exceed 96 ft.	To Comply	MGO § C-3, Fig. 3.
Design Standards			, ,	, ,
Historic Preservation	No	Property is not "adjacent" to contributing properties.	n/a	MGO § C-18.g.
Lighting	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.a-c
Building Materials/ Colors	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.d-k
Architectural Elements and Features	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.l-r
Building Articulation	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.s-x
Doors	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.y-ae
Window Glazing	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.af-ah
Building Facades	Yes	See MGO for full scope requirements.	To Comply	MGO § C-19.ai
Streetscapes	No	Property not on Speedway or Euclid.	n/a	MGO § C-
Height & Mass Transition	Yes	See MGO for full scope requirements.	To Comply	MGO § C-17.a-e
Special Bulk Reduction Plan	No	Property not in Area 1.	n/a	MGO § D-4.b
Environmentally Conscious Design Practices	Yes	Include 5 or more of 16 concepts – See MGO § C-16 for full list	To Comply	MGO § C-16
Minimum Setbacks				
Front (street)	No	No min. setbacks	To Comply	MGO § C-3, Table 1
Side	No	No min. setbacks	To Comply	MGO § C-3, Table 1
Other	No	No min. setbacks	To Comply	MGO § C-3, Table 1

Category	Zoning Code Requirements	Notes	Proposed	Reference
Maximum Setbacks				
Front (street)	Yes	15 ft. from PL. Minor deviations allowed and N/A to entrance bays.	To Comply	MGO § C-3, Table 1
Side	No	No max. setbacks	To Comply	MGO § C-3, Table 1
Other	No	No max. setbacks	To Comply	MGO § C-3, Table 1
Minimum Perimeter Yd.	No	No min. PY widths	To Comply	MGO § C-3, Table 1
Open Space				
Residential	Yes	25 sq. ft. per DU	To Comply	25 * 130 = 3,250 sqft. MGO § C- 3, Table 1 and § C-10
Retail	Yes	15% of Site Area	To Comply	3,653 * 15% = 548 sqft. MGO § C-3, Table 1 and § C-10
Min. Landscape Area	Yes	At least 25% of ground level open space.		MGO § C-3, Table 1
Vehicle Parking				
Min. parking - Residential	Yes	0.5 spaces per DU	To Comply	130 total DUs & 130 parking spaces (range = 65 to 130 spaces). MGO § C-5.a
Max. parking - Residential	Yes	1 space per DU	To Comply	130 total DUs & 130 parking spaces (range = 65 to 130 spaces). MGO § C-5.a
Min. parking - Retail	Yes	Greater of 2 spaces or 1 space per 2000 sqft GFA	To Comply	2 spaces required based on 3,653 sqft. MGO § C-5.a
Bicycle Parking				
Short-term, Residential	Yes	Min = greater of .3 spaces/DU, or 3 spaces.	To Comply	130 * .3 = 39 spaces required, MGO § C-5.b
Long-term, Residential	Yes	Min = greater of .3 spaces/DU, or 3 spaces.	To Comply	130 * .3 = 39 spaces required, MGO § C-5.b
Short-term, Non-Res.	Yes	Min = greater of 2 spaces or 1 per 5000 sqft. GFA.	To Comply	2 spaces req. Based on 3,653 sqft, MGO § C-5.b
Long-term, Non-Res.	Yes	Min = greater of 2 spaces or 1 per 12,000 sqft. GFA.	To Comply	2 spaces req. Based on 3,653 sqft, MGO § C-5.b
Loading				
Off-street Loading Zone	Yes	See MGO for on/off-street loading options.	To Comply	MGO § C-6.1

Tucson, Arizona 25, Apr.

54

Main Gate District Design Standard Compliance

Environmentally Conscious Design (Section C-16)

- C-16 Each Development shall include five or more of the 16 items
 - 1. Provide shade for at least 70% of parking spaces. (C-16-1)
 - Complies: See underground garage plan
 - 2. Provide Energy Star or cool roof rated at least 0.65 reflectivity and at least 85% emissivity. (C-16-4) Will comply
 - 3. Provide shade for short Term Bicycle Parking Facilities. (C-16-6)
 - -Complies: See ground floor plan bicycle room
 - 4. Provide 100% desert-adapted plant species. Species chosen must adhere to the Arizona Department of Water Resources Tucson AMA Drought Tolerant/Low Water Use Plant List. (C-16-7)
 - Will comply
 - 5. Provide Low-E glass better than the minimum requirement per the international energy conservation code (IECC). (C-16-12)
 - Will comply

Height and Massing Transition (Section C-17)

- C-17.a. The effective visual bulk of a building exceeding either 2 stories or 26' in height should be reduced so that buildings appear less imposing by using vertical setbacks of stair-stepping building heights back from the street or breaking up the mass of the building.
 - Complies. See elevation/ perspective views for the set back in building bulk.
- C-17.b. To accomplish the foregoing, (i) at least 25% of the length of the street-fronting facade above 2 stories or 26' (whichever is lower) shall be set back at least 12' from the building facade at finished grade; and (ii) in the case of a building facade that faces a property line adjacent to a Contributing Property, the Director may require that at least 25% of the length of the facade above 2 stories or 26' (whichever is lower) shall be set back at least 12' from the building facade at finishing grade.
 - Complies. Set back on N Tyndall Avenue and E 1st Street. See elevation/ perspective views.
- C-17.c. & C-17.d. Project is not along Euclid Avenue and Speedway Boulevard.

Design Standards (Section C-19)

- C-19.a. Lighting strategies shall minimize glare and light trespass. conserve energy, and promote safety and security.
 - Will comply.
- C-19.d. Building materials should be chosen for their tactile effects and used in a contrasting manner: e.g., rough surfaces against smooth, vertical patterns against horizontal, etc
 - Complies: See elevation/ perspective view for material contrast and vertical patterns against horizontal

- C-19.i. Architectural elements such as balconies, outdoor stairs, ornaments and surface detail shall be used to enhance the architectural style of the building
 - Complies: See elevation/ perspective views
- C-19.u. Any building over 85' long must be articulated in order to appear as a series of buildings no longer than 85' each along the front property line
 - Complies: See elevation/ perspective views
- C-19.y. Doors at primary pedestrian entrances must be shaded or protected from the weather.
 - Will comply
- C-19.af. Glazing shall be low-e and shall allow a visual connection through either side of the window.
 - Complies: See elevation/ perspective views
- C-19.ai. The street-facing building facade at the base shall include at least two of the 9 elements
 - Complies with C-19.ai.3; Small retail space. See ground floor plan
 - Will comply with C-19.ai.8; Windows that provide a minimum of 75% of visible light to be visible on each side of the window.
- C-19.ai. The street-facing building facade at the base shall include at least two of the 9 elements
 - Complies with C-19.ai.3; Small retail space. See ground floor plan
 - Will comply with C-19.ai.8; Windows that provide a minimum of 75% of visible light to be visible on each side of the window.

Tucson, Arizona 25, Apr.

Thank you



