



# The Home Depot Special Order Quote

Customer Agreement #: H0478-202477

Printed Date: 5/12/2021

**Customer:** KMS ENTERPRISES KMS ENTERPRISES

**Address:** PIMA  
PROJ 82-5ZL90  
TUCSON, AZ 85711

**Phone 1:** 520-591-3535

**Phone 2:** 520-599-0764

**Email:** PROADVANTAGE@HOMED  
EPOT.COM

**Store:** 0478

**Associate:** ANDREW

**Address:** 3925 W COSTCO DR  
TUCSON, AZ 85741

**Phone:** 520-575-8750

**Pre-Savings Total:** \$21,592.69

**Total Savings:** (\$0.00)

**Pre-Tax Price:** \$21,592.69

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.



Catalog Version 106



Overall Frame Width = 123 5/8"

Overall Frame Height = 57 5/8"

A1: Sash Split = Even Divide

B1:

C1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	123.625-in x 57.625-in Wood W-2500 Multi-Window Configuration	\$2,421.64	\$2,421.64	1	\$0.00	\$2,421.64
<b>Unit 100 Total:</b>		<b>\$2,421.64</b>	<b>\$2,421.64</b>		<b>\$0.00</b>	<b>\$2,421.64</b>

## Begin Line 100 Description

### ---- Line 100-1 ----

Windowset 1, Windowset 3: Wood W-2500, Windowset 1, Windowset 3: Double Hung, Windowset 1, Windowset 3: , Windowset 1, Windowset 3: 30 x 57.625 Windowset 2: Wood W-2500, Windowset 2: Sash Set, Windowset 2: , Windowset 2: 63.625 x 57.625 Unit Assembly = Full Unit, Unit Regional Compliance = Non-Certified Unit 1, 3: Unit Vent Division = Even Divide, Unit 1, 3: Unit Order By = Frame Size, Unit 1, 3: Unit Frame Width = Custom Size, Unit 1, 3: Individual Unit Width = 30, Unit 1, 3: Unit Frame Height = Custom Size, Unit 1, 3: Unit Custom Frame Height = 57.625 Unit 2: Unit Order By = Frame Size, Unit 2: Unit Frame Width = Custom Size, Unit 2: Individual Unit Width = 63.625, Unit 2: Unit Frame Height = Custom Size, Unit 2: Unit Custom Frame Height = 57.625 Unit Species = Auralast Pine, Unit Sash to Match Exterior Finish = Yes,

Unit Glass Thickness = Standard Default Thickness, Unit Spacer Color = Black Spacer, Unit Glass Options = Argon Unit 1, 3: Unit Grid Type = 7/8" Bead SDL w/Perm Wood, Unit 1, 3: Unit Interior Bar Profile = Traditional Bead Bar (Standard), Unit 1, 3: Unit Location for Grid = Top Lite(s) Only, Unit 1, 3: Unit Grid Finish = Light Bronze Shadow Bar, Unit 1, 3: Unit SDL Finish = Primed Wood, Unit 1, 3: Unit Grid Pattern = Colonial, Unit 1, 3: Unit Lites Wide - Top = 3, Unit 1, 3: Unit Lites High - Top = 2 Unit 2: Unit Grid Type = No Grids Unit Jambliner = White Jambliner, Unit Jamb Liner Options = Compression Jambliner, Unit Sill Stop = Sill Stop Applied, Unit Finger Plows = Plow in Top & Bottom Rail Window Egress = Does Not Meet Egress Unit 1, 3: Unit U-Factor = 0.29,

Unit 1 Glass 1, 2 Glass, 3 Glass 1: None Unit 1 Glass 2, 3 Glass 2: 7/8" Bead SDL w/Perm Wood, Unit 1 Glass 2, 3 Glass 2: Colonial, Unit 1 Glass 2, 3 Glass 2: 3W2H Assembly = Full Unit, Product Type = Double Hung, Exterior Trim Type = Brickmould, Exterior Trim Options = No, Regional Compliance = Non-Certified, Number Units Wide = 3, Number Units High = 1 Overall Order By = Frame Size, Overall Exterior Trim Width = 126.25, Overall Exterior Trim Height = 59.40625 Species = Auralast Pine, Interior Finish Type = Natural, Finish - Interior = Natural, Finish - Exterior = Primed Jamb Width = 4 9/16" Rating = No Rating, Sill Nosing = Standard Sill Nosing, Sill Horns = No Sill Horn,

Unit Finish - Sash (Exterior) = Primed  
 Unit Rating = PG 25  
 Unit Hardware Finish - Interior = White,  
 Unit Screen Options = Fiberglass Mesh,  
 Unit Screen Finish = Brilliant White  
 Unit STC / OITC Rating = Standard,  
 Unit Glazing = Insulated,  
 Unit Low-E Options = Low-E,  
 Unit Glass Color = Low-E,  
 Unit Glass Type = Annealed,  
 Unit Neat Glass = No,


Unit 1, 3: Unit Solar Heat Gain Coefficient = 0.24,  
 Unit 1, 3: Unit Visible Light Transmittance = 0.46,  
 Unit 1, 3: Unit Condensation Resistance = 58,  
 Unit 1, 3: Unit CPD# = JEL-N-578-01931-00002  
 Unit 2: Unit U-Factor = 0.27,  
 Unit 2: Unit Solar Heat Gain Coefficient = 0.29,  
 Unit 2: Unit Visible Light Transmittance = 0.54,  
 Unit 2: Unit Condensation Resistance = 61,  
 Unit 2: Unit CPD# = JEL-N-737-03611-00001  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2

Prep for Stool = No  
 Energy Efficiency = Standard,  
 Glazing = Insulated,  
 Glass Color = Define Subline Glass Color  
 Separately,  
 Glass Type = Define Subline Glass Type Separately  
 Mull Assembly = Flat Mull,  
 Spread Mull = No Spread Mull,  
 Sash Limiter = No Sash Limiter  
 Vertical,  
 Factory,  
 0" thick, 57.625" length

**End Line 100 Description**



Catalog Version 106



Overall Frame Width = 69 3/4"  
 Overall Frame Height = 58 5/8"  
 A1: Sash Split = Even Divide  
 B1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	69.75-in x 58.625-in Wood W-2500 2 Double Hung	\$1,679.49	\$1,679.49	3	\$0.00	\$5,038.47
<b>Unit 200 Total:</b>		<b>\$1,679.49</b>	<b>\$1,679.49</b>		<b>\$0.00</b>	<b>\$5,038.47</b>

**Begin Line 200 Description**

**---- Line 200-1 ----**

Wood W-2500,  
 Double Hung,  
 ,  
 69.75 x 58.625  
 Unit Grid Pattern = Colonial,  
 Unit Lites Wide - Top = 3,  
 Unit Lites High - Top = 2  
 Unit Sill Stop = Sill Stop Applied  
 Window Egress = Meets 5.0 sqft Egress (1st Floor)  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1, 2 Glass 1: None  
 Unit 1 Glass 2, 2 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2, 2 Glass 2: Colonial,  
 Unit 1 Glass 2, 2 Glass 2: 3W2H  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Overall Vent Division = Even Divide,


Overall Order By = Frame Size,  
 Overall Frame Width = Custom Size,  
 Overall Custom Frame Width = 69.75,  
 Overall Frame Height = Custom Size,  
 Overall Custom Frame Height = 58.625,  
 Overall Exterior Trim Width = 72.375,  
 Overall Exterior Trim Height = 60.40625  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Rating = No Rating,  
 Sill Nosing = Standard Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Storm/Screen Combo = No Combo,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,

Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Add Grilles? = Yes,  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Define Pattern Separately  
 Mull Assembly = Flat Mull,  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Filler/Cover = Compression Jambliner,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Vertical,  
 Factory,  
 0" thick, 58.625" length

**End Line 200 Description**



Catalog Version 106



Overall Frame Width = 69 5/8"  
 Overall Frame Height = 58 1/2"  
 A1: Sash Split = Even Divide  
 B1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
300-1	69.625-in x 58.5-in Wood W-2500 2 Double Hung	\$1,679.49	\$1,679.49	2	\$0.00	\$3,358.98
<b>Unit 300 Total:</b>		<b>\$1,679.49</b>	<b>\$1,679.49</b>		<b>\$0.00</b>	<b>\$3,358.98</b>

**Begin Line 300 Description**

---- Line 300-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 69.625 x 58.5  
 Unit Grid Pattern = Colonial,  
 Unit Lites Wide - Top = 3,  
 Unit Lites High - Top = 2  
 Unit Sill Stop = Sill Stop Applied  
 Window Egress = Meets 5.0 sqft Egress (1st Floor)  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1, 2 Glass 1: None  
 Unit 1 Glass 2, 2 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2, 2 Glass 2: Colonial,  
 Unit 1 Glass 2, 2 Glass 2: 3W2H  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Overall Vent Division = Even Divide,


Overall Order By = Frame Size,  
 Overall Frame Width = Custom Size,  
 Overall Custom Frame Width = 69.625,  
 Overall Frame Height = Custom Size,  
 Overall Custom Frame Height = 58.5,  
 Overall Exterior Trim Width = 72.25,  
 Overall Exterior Trim Height = 60.28125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Rating = No Rating,  
 Sill Nosing = Standard Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Storm/Screen Combo = No Combo,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,

Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Add Grilles? = Yes,  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Define Pattern Separately  
 Mull Assembly = Flat Mull,  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Filler/Cover = Compression Jambliner,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail Vertical,  
 Factory,  
 0" thick, 58.5" length

**End Line 300 Description**



Catalog Version 106



Overall Frame Width = 82"  
 Overall Frame Height = 58 3/8"  
 A1: Sash Split = Even Divide  
 B1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
400-1	82-in x 58.375-in Wood W-2500 2 Double Hung	\$1,853.79	\$1,853.79	1	\$0.00	\$1,853.79
<b>Unit 400 Total:</b>		<b>\$1,853.79</b>	<b>\$1,853.79</b>		<b>\$0.00</b>	<b>\$1,853.79</b>

**Begin Line 400 Description**

---- Line 400-1 ----

Wood W-2500,

Overall Order By = Frame Size,

Glazing = Insulated,

Double Hung,  
 ,  
 82 x 58.375  
 Unit Grid Pattern = Colonial,  
 Unit Lites Wide - Top = 4,  
 Unit Lites High - Top = 2  
 Unit Sill Stop = Sill Stop Applied  
 Window Egress = Meets 5.7 sqft Egress (All Floors)  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1, 2 Glass 1: None  
 Unit 1 Glass 2, 2 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2, 2 Glass 2: Colonial,  
 Unit 1 Glass 2, 2 Glass 2: 4W2H  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Overall Vent Division = Even Divide,


Overall Frame Width = Custom Size,  
 Overall Custom Frame Width = 82,  
 Overall Frame Height = Custom Size,  
 Overall Custom Frame Height = 58.375,  
 Overall Exterior Trim Width = 84.625,  
 Overall Exterior Trim Height = 60.15625  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Rating = No Rating,  
 Sill Nosing = Standard Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Storm/Screen Combo = No Combo,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,

Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Add Grilles? = Yes,  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Define Pattern Separately  
 Mull Assembly = Flat Mull,  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Filler/Cover = Compression Jambliner,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Vertical,  
 Factory,  
 0" thick, 58.375" length

**End Line 400 Description**



Catalog Version 106



Frame Width = 27 3/4"  
 Frame Height = 59"  
 Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
500-1	27.75-in x 59-in Wood W-2500 Double Hung	\$732.81	\$732.81	1	\$0.00	\$732.81
<b>Unit 500 Total:</b>		<b>\$732.81</b>	<b>\$732.81</b>		<b>\$0.00</b>	<b>\$732.81</b>

**Begin Line 500 Description**

---- Line 500-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 27.75 x 59  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Vent Division = Even Divide,  
 Order By = Frame Size,  
 Frame Width = Custom Size,  
 Custom Frame Width = 27.75,  
 Frame Height = Custom Size,  
 Custom Frame Height = 59,  
 Exterior Trim Width = 30.375,  
 Exterior Trim Height = 60.78125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,

Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Number of Locks = 1,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,  
 Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar (Standard),

Lites High - Top = 2  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Options = Compression Jambliner,  
 Sill Stop = Sill Stop Applied,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Window Egress = Does Not Meet Egress  
 U-Factor = 0.29,  
 Solar Heat Gain Coefficient = 0.18,  
 Visible Light Transmittance = 0.42,  
 Condensation Resistance = 59,  
 CPD# = JEL-N-578-01933-00002  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2

Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Sill Nosing = Standard Sill Nosing,


Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide - Top = 2,

Unit 1 Glass 1: None  
 Unit 1 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2: Colonial,  
 Unit 1 Glass 2: 2W2H

**End Line 500 Description**



Catalog Version 106



Overall Frame Width = 69 1/2"  
 Overall Frame Height = 57 3/4"  
 A1: Sash Split = Even Divide  
 B1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
600-1	69.5-in x 57.75-in Wood W-2500 2 Double Hung	\$1,679.49	\$1,679.49	1	\$0.00	\$1,679.49
<b>Unit 600 Total:</b>		<b>\$1,679.49</b>	<b>\$1,679.49</b>		<b>\$0.00</b>	<b>\$1,679.49</b>

**Begin Line 600 Description**

---- Line 600-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 69.5 x 57.75  
 Unit Grid Pattern = Colonial,  
 Unit Lites Wide - Top = 3,  
 Unit Lites High - Top = 2  
 Unit Sill Stop = Sill Stop Applied  
 Window Egress = Meets 5.0 sqft Egress (1st Floor)  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1, 2 Glass 1: None  
 Unit 1 Glass 2, 2 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2, 2 Glass 2: Colonial,  
 Unit 1 Glass 2, 2 Glass 2: 3W2H  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Overall Vent Division = Even Divide,


Overall Order By = Frame Size,  
 Overall Frame Width = Custom Size,  
 Overall Custom Frame Width = 69.5,  
 Overall Frame Height = Custom Size,  
 Overall Custom Frame Height = 57.75,  
 Overall Exterior Trim Width = 72.125,  
 Overall Exterior Trim Height = 59.53125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Rating = No Rating,  
 Sill Nosing = Standard Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Storm/Screen Combo = No Combo,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,

Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Add Grilles? = Yes,  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Define Pattern Separately  
 Mull Assembly = Flat Mull,  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Filler/Cover = Compression Jambliner,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail Vertical,  
 Factory,  
 0" thick, 57.75" length

**End Line 600 Description**



Catalog Version 106



Frame Width = 40 1/4"  
 Frame Height = 59 3/4"  
 Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
-------------	--------------	-----------	-----------	----------	---------------	-------------

700-1	40.25-in x 59.75-in Wood W-2500 Double Hung	\$909.87	\$909.87	1	\$0.00	\$909.87
<b>Unit 700 Total:</b>		<b>\$909.87</b>	<b>\$909.87</b>		<b>\$0.00</b>	<b>\$909.87</b>

**Begin Line 700 Description**

---- Line 700-1 ----

Wood W-2500,  
Double Hung,  
,  
40.25 x 59.75  
Assembly = Full Unit,  
Exterior Trim Type = Brickmould,  
Exterior Trim Options = No,  
Regional Compliance = Non-Certified  
Vent Division = Even Divide,  
Order By = Frame Size,  
Frame Width = Custom Size,  
Custom Frame Width = 40.25,  
Frame Height = Custom Size,  
Custom Frame Height = 59.75,  
Exterior Trim Width = 42.875,  
Exterior Trim Height = 61.53125  
Species = Auralast Pine,  
Interior Finish Type = Natural,  
Finish - Interior = Natural,  
Finish - Exterior = Natural Pine,  
Sash to Match Exterior Finish = Yes,  
Finish - Sash (Exterior) = Natural Pine  
Jamb Width = 4 9/16"  
Sill Nosing = Standard Sill Nosing,


Sill Horns = No Sill Horn,  
Prep for Stool = No  
Hardware Finish - Interior = White,  
Number of Locks = 2,  
Screen Options = Fiberglass Mesh,  
Screen Finish = Brilliant White  
Energy Efficiency = Energy Star,  
Energy Star Zone = Energy Star - Southern,  
STC / OITC Rating = Standard,  
Glazing = Insulated,  
Glass Color = Low-E 366,  
Glass Type = Annealed,  
Neat Glass = No,  
Glass Thickness = Standard Default Thickness,  
Protective Film = Protective Film,  
Spacer Color = Black Spacer,  
Glass Options = Argon  
Grid Type = 7/8" Bead SDL w/Perm Wood,  
Interior Bar Profile = Traditional Bead Bar (Standard),  
Location for Grid = Top Lite(s) Only,  
Grid Finish = Light Bronze Shadow Bar,  
SDL Finish = Natural Pine,  
Grid Pattern = Colonial,  
Lites Wide - Top = 4,

Lites High - Top = 2  
Certification = None,  
Jambliner = White Jambliner,  
Jamb Liner Options = Compression Jambliner,  
Sill Stop = Sill Stop Applied,  
Sash Limiter = No Sash Limiter,  
Finger Plows = Plow in Top & Bottom Rail  
Window Egress = Meets 5.7 sqft Egress (All Floors)  
U-Factor = 0.29,  
Solar Heat Gain Coefficient = 0.18,  
Visible Light Transmittance = 0.42,  
Condensation Resistance = 59,  
CPD# = JEL-N-578-01933-00002  
Room Location = ,  
Is This a Remake = No,  
Specific Information =  
Manufacturer = JELD-WEN, Rantoul(IL),  
Contact Number = 1-800-246-9131 Option 2,  
Catalog Version Date = 02/23/2021,  
Catalog Version = 21.1.8.2  
Unit 1 Glass 1: None  
Unit 1 Glass 2: 7/8" Bead SDL w/Perm Wood,  
Unit 1 Glass 2: Colonial,  
Unit 1 Glass 2: 4W2H

**End Line 700 Description**



Catalog Version 106



Frame Width = 33 1/2"  
Frame Height = 40 3/8"  
Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
800-1	33.5-in x 40.375-in Wood W-2500 Double Hung	\$728.69	\$728.69	1	\$0.00	\$728.69
<b>Unit 800 Total:</b>		<b>\$728.69</b>	<b>\$728.69</b>		<b>\$0.00</b>	<b>\$728.69</b>

**Begin Line 800 Description**

---- Line 800-1 ----

Wood W-2500,  
Double Hung,  
,  
33.5 x 40.375  
Assembly = Full Unit,  
Exterior Trim Type = Brickmould,  
Exterior Trim Options = No,  
Regional Compliance = Non-Certified  
Vent Division = Even Divide,  
Order By = Frame Size,  
Frame Width = Custom Size,  
Custom Frame Width = 33.5,  
Frame Height = Custom Size,  
Custom Frame Height = 40.375,  
Exterior Trim Width = 36.125,

Sill Horns = No Sill Horn,  
Prep for Stool = No  
Hardware Finish - Interior = White,  
Number of Locks = 2,  
Screen Options = Fiberglass Mesh,  
Screen Finish = Brilliant White  
Energy Efficiency = Energy Star,  
Energy Star Zone = Energy Star - Southern,  
STC / OITC Rating = Standard,  
Glazing = Insulated,  
Glass Color = Low-E 366,  
Glass Type = Annealed,  
Neat Glass = No,  
Glass Thickness = Standard Default Thickness,  
Protective Film = Protective Film,

Lites High - Top = 2  
Certification = None,  
Jambliner = White Jambliner,  
Jamb Liner Options = Compression Jambliner,  
Sill Stop = Sill Stop Applied,  
Sash Limiter = No Sash Limiter,  
Finger Plows = Plow in Top & Bottom Rail  
Window Egress = Does Not Meet Egress  
U-Factor = 0.29,  
Solar Heat Gain Coefficient = 0.18,  
Visible Light Transmittance = 0.42,  
Condensation Resistance = 59,  
CPD# = JEL-N-578-01933-00002  
Room Location = ,  
Is This a Remake = No,

Exterior Trim Height = 42.15625  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Sill Nosing = Standard Sill Nosing,


Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar  
 (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide - Top = 3,

Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1: None  
 Unit 1 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2: Colonial,  
 Unit 1 Glass 2: 3W2H

**End Line 800 Description**



Catalog Version 106



Frame Width = 39 1/2"  
 Frame Height = 52 1/4"  
 Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
900-1	39.5-in x 52.25-in Wood W-2500 Double Hung	\$824.60	\$824.60	1	\$0.00	\$824.60
<b>Unit 900 Total:</b>		<b>\$824.60</b>	<b>\$824.60</b>		<b>\$0.00</b>	<b>\$824.60</b>

**Begin Line 900 Description**

---- Line 900-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 39.5 x 52.25  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Vent Division = Even Divide,  
 Order By = Frame Size,  
 Frame Width = Custom Size,  
 Custom Frame Width = 39.5,  
 Frame Height = Custom Size,  
 Custom Frame Height = 52.25,  
 Exterior Trim Width = 42.125,  
 Exterior Trim Height = 54.03125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Sill Nosing = Standard Sill Nosing,


Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Number of Locks = 2,  
 Screen Finish = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,  
 Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar  
 (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide - Top = 3,

Lites High - Top = 2  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Options = Compression Jambliner,  
 Sill Stop = Sill Stop Applied,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Window Egress = Does Not Meet Egress  
 U-Factor = 0.29,  
 Solar Heat Gain Coefficient = 0.18,  
 Visible Light Transmittance = 0.42,  
 Condensation Resistance = 59,  
 CPD# = JEL-N-578-01933-00002  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1: None  
 Unit 1 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2: Colonial,  
 Unit 1 Glass 2: 3W2H

**End Line 900 Description**



Catalog Version 106



Frame Width = 33 3/8"  
 Frame Height = 40 1/2"  
 Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1000-1	33.375-in x 40.5-in Wood W-2500 Double Hung	\$555.36	\$555.36	1	\$0.00	\$555.36
<b>Unit 1000 Total:</b>		<b>\$555.36</b>	<b>\$555.36</b>		<b>\$0.00</b>	<b>\$555.36</b>

**Begin Line 1000 Description**

---- Line 1000-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 33.375 x 40.5  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Vent Division = Even Divide,  
 Order By = Frame Size,  
 Frame Width = Custom Size,  
 Custom Frame Width = 33.375,  
 Frame Height = Custom Size,  
 Custom Frame Height = 40.5,  
 Exterior Trim Width = 36,  
 Exterior Trim Height = 42.28125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Sill Nosing = Standard Sill Nosing,


Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Number of Locks = 1,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,  
 Glazing = Insulated,  
 Glass Color = Low-E 366 Obscure,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar  
 (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide - Top = 3,

Lites High - Top = 2  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Options = Compression Jambliner,  
 Sill Stop = Sill Stop Applied,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Window Egress = Does Not Meet Egress  
 U-Factor = 0.3,  
 Solar Heat Gain Coefficient = 0.18,  
 Visible Light Transmittance = 0.42,  
 Condensation Resistance = 58,  
 CPD# = JEL-N-578-02008-00002  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1: None  
 Unit 1 Glass 2: 7/8" Bead SDL w/Perm Wood,  
 Unit 1 Glass 2: Colonial,  
 Unit 1 Glass 2: 3W2H

**End Line 1000 Description**



Catalog Version 106



Frame Width = 37"  
 Frame Height =  
 24"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1100-1	37-in x 24-in Wood W-5500 Awning	\$912.79	\$912.79	1	\$0.00	\$912.79
<b>Unit 1100 Total:</b>		<b>\$912.79</b>	<b>\$912.79</b>		<b>\$0.00</b>	<b>\$912.79</b>

**Begin Line 1100 Description**

---- Line 1100-1 ----

Wood W-5500,  
 Awning,

Sill Horns = No Sill Horn,  
 Prep for Stool = No,

Interior Bar Profile = Traditional Bead Bar  
 (Standard),

,  
 37 x 24  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified,  
 Configuration = Operating  
 Order By = Frame Size,  
 Frame Width = Custom Size,  
 Custom Frame Width = 37,  
 Frame Height = 24",  
 Exterior Trim Width = 40,  
 Exterior Trim Height = 26.4375  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine,  
 Ext Trim to Match Ext Finish = Yes  
 Jamb Width = 4 9/16",  
 Jamb Thickness = 4/4 JE,  
 Extension Jamb Shipped Loose = Extension Jamb  
 Factory Applied  
 Sill Nosing = Std Sill Nosing,


Drip Cap = Vinyl Drip Cap,  
 Kerf Jamb = No Kerf  
 Hardware Finish - Interior = White,  
 Stainless Steel Hardware = Standard  
 Operator/Hinge,  
 Handle = Nesting Crank Handle,  
 Lock Options = 2 Locks,  
 Screen Options = BetterVue Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,  
 Blinds Between Glass = No Internal Blinds,  
 Glazing = Insulated,  
 Glass Color = Low-E 366 Obscure,  
 Glass Type = Tempered (meets CA Urban Fire  
 Code),  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 CA Urban Fire Code Label = No Label,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon,  
 Glazing Stop Style = Traditional  
 Grid Type = 7/8" Bead SDL w/Perm Wood,

Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide = 3,  
 Lites High = 2  
 Certification = None,  
 Radius Top Rail = None,  
 Sash Limiter = No Sash Limiter  
 Window Egress = Does Not Meet Egress  
 U-Factor = 0.27,  
 Solar Heat Gain Coefficient = 0.17,  
 Visible Light Transmittance = 0.39,  
 Condensation Resistance = 60,  
 CPD# = JEL-N-882-02921-00001  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 7/8" Bead SDL w/Perm Wood,  
 Colonial,  
 3W2H

**End Line 1100 Description**



Catalog Version 106



Frame Width = 38 1/4"  
 Frame Height =  
 16"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1200-1	38.25-in x 16-in Wood W-5500 Awning	\$933.21	\$933.21	1	\$0.00	\$933.21
<b>Unit 1200 Total:</b>		<b>\$933.21</b>	<b>\$933.21</b>		<b>\$0.00</b>	<b>\$933.21</b>

**Begin Line 1200 Description**

---- Line 1200-1 ----

Wood W-5500,  
 Awning,  
 ,  
 38.25 x 16  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified,  
 Configuration = Operating  
 Order By = Frame Size,  
 Frame Width = Custom Size,  
 Custom Frame Width = 38.25,  
 Frame Height = Custom Size,  
 Custom Frame Height = 16,  
 Exterior Trim Width = 41.25,  
 Exterior Trim Height = 18.4375  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,

Sill Nosing = Std Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No,  
 Drip Cap = Vinyl Drip Cap,  
 Kerf Jamb = No Kerf  
 Hardware Finish - Interior = White,  
 Stainless Steel Hardware = Standard  
 Operator/Hinge,  
 Handle = Nesting Crank Handle,  
 Lock Options = 2 Locks,  
 Screen Options = BetterVue Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,  
 Blinds Between Glass = No Internal Blinds,  
 Glazing = Insulated,  
 Glass Color = Low-E 366 Obscure,  
 Glass Type = Tempered (meets CA Urban Fire  
 Code),  
 Neat Glass = No,

Interior Bar Profile = Traditional Bead Bar  
 (Standard),  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Colonial,  
 Lites Wide = 3,  
 Lites High = 2  
 Certification = None,  
 Radius Top Rail = None,  
 Sash Limiter = No Sash Limiter  
 Window Egress = Does Not Meet Egress  
 U-Factor = 0.27,  
 Solar Heat Gain Coefficient = 0.17,  
 Visible Light Transmittance = 0.39,  
 Condensation Resistance = 60,  
 CPD# = JEL-N-882-02921-00001  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,

Finish - Sash (Exterior) = Natural Pine,  
 Ext Trim to Match Ext Finish = Yes  
 Jamb Width = 4 9/16",  
 Jamb Thickness = 4/4 JE,  
 Extension Jamb Shipped Loose = Extension Jamb  
 Factory Applied


Glass Thickness = Standard Default Thickness,  
 CA Urban Fire Code Label = No Label,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon,  
 Glazing Stop Style = Traditional  
 Grid Type = 7/8" Bead SDL w/Perm Wood,

Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 7/8" Bead SDL w/Perm Wood,  
 Colonial,  
 3W2H

**End Line 1200 Description**



Catalog Version 106



Overall Frame Width = 82 1/2"  
 Overall Frame Height = 46 3/4"  
 A1: Sash Split = Even Divide  
 B1: Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1300-1	82.5-in x 46.75-in Wood W-2500 2 Double Hung	\$1,642.99	\$1,642.99	1	\$0.00	\$1,642.99
<b>Unit 1300 Total:</b>		<b>\$1,642.99</b>	<b>\$1,642.99</b>		<b>\$0.00</b>	<b>\$1,642.99</b>

**Begin Line 1300 Description**

---- Line 1300-1 ----

Wood W-2500,  
 Double Hung,  
 ,  
 82.5 x 46.75  
 Unit Grid Pattern = Colonial,  
 Unit Lites Wide - Top = 3,  
 Unit Lites High - Top = 2  
 Unit Sill Stop = Sill Stop Applied  
 Window Egress = Does Not Meet Egress  
 Room Location = ,  
 Is This a Remake = No,  
 Specific Information =  
 Manufacturer = JELD-WEN, Rantoul(IL),  
 Contact Number = 1-800-246-9131 Option 2,  
 Catalog Version Date = 02/23/2021,  
 Catalog Version = 21.1.8.2  
 Unit 1 Glass 1, 2 Glass 1: None  
 Unit 1 Glass 2, 2 Glass 2: 7/8" Bead SDL w/Perm  
 Wood,  
 Unit 1 Glass 2, 2 Glass 2: Colonial,  
 Unit 1 Glass 2, 2 Glass 2: 3W2H  
 Assembly = Full Unit,  
 Exterior Trim Type = Brickmould,  
 Exterior Trim Options = No,  
 Regional Compliance = Non-Certified  
 Overall Vent Division = Even Divide,

Overall Order By = Frame Size,  
 Overall Frame Width = Custom Size,  
 Overall Custom Frame Width = 82.5,  
 Overall Frame Height = Custom Size,  
 Overall Custom Frame Height = 46.75,  
 Overall Exterior Trim Width = 85.125,  
 Overall Exterior Trim Height = 48.53125  
 Species = Auralast Pine,  
 Interior Finish Type = Natural,  
 Finish - Interior = Natural,  
 Finish - Exterior = Natural Pine,  
 Sash to Match Exterior Finish = Yes,  
 Finish - Sash (Exterior) = Natural Pine  
 Jamb Width = 4 9/16"  
 Rating = No Rating,  
 Sill Nosing = Standard Sill Nosing,  
 Sill Horns = No Sill Horn,  
 Prep for Stool = No  
 Hardware Finish - Interior = White,  
 Storm/Screen Combo = No Combo,  
 Screen Options = Fiberglass Mesh,  
 Screen Finish = Brilliant White  
 Energy Efficiency = Energy Star,  
 Energy Star Zone = Energy Star - Southern,  
 STC / OITC Rating = Standard,

Glazing = Insulated,  
 Glass Color = Low-E 366,  
 Glass Type = Annealed,  
 Neat Glass = No,  
 Glass Thickness = Standard Default Thickness,  
 Protective Film = Protective Film,  
 Spacer Color = Black Spacer,  
 Glass Options = Argon  
 Add Grilles? = Yes,  
 Grid Type = 7/8" Bead SDL w/Perm Wood,  
 Interior Bar Profile = Traditional Bead Bar  
 (Standard),  
 Location for Grid = Top Lite(s) Only,  
 Grid Finish = Light Bronze Shadow Bar,  
 SDL Finish = Natural Pine,  
 Grid Pattern = Define Pattern Separately  
 Mull Assembly = Flat Mull,  
 Certification = None,  
 Jambliner = White Jambliner,  
 Jamb Liner Filler/Cover = Compression Jambliner,  
 Sash Limiter = No Sash Limiter,  
 Finger Plows = Plow in Top & Bottom Rail  
 Vertical,  
 Factory,  
 0" thick, 46.75" length

**End Line 1300 Description**